GENERAL SERVICE MENU





LP **SERVICE**

- Visual Inspection Of LP Tank(s) & Regulator
- · Complete LP Pressure Drop Test
- · Complete Line Pressure Test
- Check LP Detector(s)

WATER HEATER **SERVICE**

- Flush W/H Tank
- · Inspect Anode
- · Clean Burner Assembly
- · Adjust Burners/Electrode
- · Check Pressure Relief Valve
- · Thermocouple & Circuit Board

OVEN/RANGE **SERVICE**

- Check For Proper LP Pressure & Adjust As Needed
- · Clean Dirt Grease
- · Dust Spider Webs
- Light Range Burners Individually
- Test Oven Temp Adjust Within 25deg +/-

REFRIGERATOR **SERVICE**

- Check Refer/Freezer Door Seals/Gaskets
- · Check Venting
- · Check Circuit Board
- · Check LP Pressure
- Clean/Adjust Burner/Orifice
- Check 110V Element
- AIR CONDITIONER · Check Air Temperature · Check Compressor Voltage **SERVICE**

- · Check Compressor Amperage
- · Remove & Clean Filter
- Visual Inspection Of Shroud
- · Check/Clear A/C Roof Drains

FURNACE SERVICE

Additional Cost May Occur If Not Accessible

- Clean Main Burner Orifice
- Clean/Inspect/Adjust Electrode Assembly
- · Clean Blower
- Check Board
- Clean/Inspect Combustion Chamber
- Inspect Fan Motor
- · Clean/Inspect Vent Tubes & Outer Casing
- · Reassemble With New Gaskets

WHEEL BEARING **PACK**

- Remove & Replace All Grease In Hub Cavity
- Inspect Bearings For Overheating/Pitting
- Inspect/Clean/Adjust Brake Assembly
- Replace Grease Seals And Cotter Pins Towable Units Only

SLIDE-OUT SERVICE

- Inspect & Lubricate Exposed Seals
- · Clean Top Of Slide
- Clean/Lubricate Exposed Rams If Applicable
- · Lubricate Exposed Gears If Applicable

ROOF **MAINTENANCE**

- Clean/Treat Roof Material As Applicable
- · Visual Inspection For Damage
- Needed Repairs
- · Minor Patch Repair
- Touch Up Sealant As Needed
- **UV-Blocking Treatment**

Estimate to be given if extensive or full reseal is required

OASIS

- · Replace Fuel Filter
- · Replace Air Filter On Compressor
- · Replace Nozzle Filter
- · Replace Igniter
- · Check Transfer Fluid
- · Clean Burner Assembly

Additional Cost May Occur If Not Accessible

